

SurePassExams



- ✓ Online Tool, Convenient, easy to study.
- ✓ Instant Online Access
- ✓ Supports All Web Browsers
- ✓ Practice Online Anytime
- ✓ Test History and Performance Review
- ✓ Supports Windows / Mac / Android / iOS, etc.



- ✓ Installable Software Application
- ✓ Simulates Real Exam Environment
- ✓ Builds Exam Confidence
- ✓ Supports MS Operating System
- ✓ Two Modes For Practice
- ✓ Practice Offline Anytime



- ✓ Printable PDF Format
- ✓ Prepared by IT Experts
- ✓ Instant Access to Download
- ✓ Study Anywhere, Anytime
- ✓ 365 Days Free Updates
- ✓ Free PDF Demo Available



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.



365 Days Free Updates

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 90 days after purchasing. And Free get any another product.



Instant Download

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

<http://www.surepassexams.com/>

Legal & authoritative company offering the highest pass-rate Exam Torrent materials and helping use pass for sure.

Exam : **E20-507**

Title : VMAX3 Solutions Specialist
Exam for Storage
Administrators

Vendor : EMC

Version : DEMO

NO.1 Which objects are pre-configured at the factory in a VMAX3 array?

- A. Disk Groups, Data Pools, and Storage Groups
- B. Storage Resource Pools and Masking Views
- C. Disk Groups, Data Pools, and one Storage Resource Pool
- D. Data Pools, Storage Resource Pools, and Port Groups

Answer: C

NO.2 A company has two VMAX3 arrays, both configured with eNAS. The company wants to make multiple copies of their file system volumes while using minimal additional space. Which EMC technology will meet the requirement without additional hardware?

- A. TimeFinder
- B. SnapSure
- C. Replicator
- D. SRDF

Answer: B

NO.3 DRAG DROP

An RDF group on a VMAX array is being replicated in SRDF/A mode to a remote VMAX3 array. To accommodate application growth, a new R1 device needs to be added to the RDF group. SRDF/A consistency of the existing devices in the RDF group should be maintained when the new device is added.

What is the correct sequence of steps for adding the new R1 device and making it available for application use?

Suspend the links for the new RDF device pair	STEP 1
Wait until the Consistency Exempt attribute is cleared and the pair state is Consistent	STEP 2
Create a new RDF device pair in a temporary RDF group and wait for the pair state to become Synchronized	STEP 3
Move the new RDF device pair to the RDF/A group using Consistency Exempt	STEP 4
Resume the links for the new RDF device pair	STEP 5

Answer:

Suspend the links for the new RDF device pair	Suspend the links for the new RDF device pair
Wait until the Consistency Exempt attribute is cleared and the pair state is Consistent	Create a new RDF device pair in a temporary RDF group and wait for the pair state to become Synchronized
Create a new RDF device pair in a temporary RDF group and wait for the pair state to become Synchronized	Move the new RDF device pair to the RDF/A group using Consistency Exempt
Move the new RDF device pair to the RDF/A group using Consistency Exempt	Wait until the Consistency Exempt attribute is cleared and the pair state is Consistent
Resume the links for the new RDF device pair	Resume the links for the new RDF device pair

Explanation:

Step 1 - Suspend the links for the new RDF device pair

Step 2 - Create a new RDF device pair in a temporary RDF group and wait for the pair state to become

Synchronized Step 3 - Move the new RDF device pair to the RDF/A group using Consistency Exempt
Step 4 - Wait until the Consistency Exempt attribute is cleared and the pair state is Consistent Step 5
- Resume the links for the new RDF device pair

NO.4 Which feature is included with VMAX All Flash F package?

- A. Data at Rest Encryption (D@RE)
- B. SRDF/Metro
- C. SRDF/S
- D. Non-Disruptive Migration (NDM)

Answer: D

Explanation:

Reference <https://www.emc.com/collateral/data-sheet/h15228-vmax-af-software-ds.pdf>

NO.5 If a Gatekeeper is listed in both the gkselect and the gkavoid files, what will happen during the selection of Gatekeepers?

- A. gkavoid entry is used
- B. Neither entry is used
- C. Either entry could be used
- D. gkselect entry is used

Answer: A

NO.6 What is the function of FAST hinting on a VMAX3 array?

- A. Provides suggestions for data migration activities to be performed on stale data
- B. Provides suggestions for manual movement of data to other tiers
- C. Sends hints to the array for low access data to be compressed
- D. Sends hints to the array for data that is likely to be accessed in a given period of time

Answer: D

Explanation:

Reference <http://thecoreblog.emc.com/emc-world/beating-the-odds-with-fast-hinting/?cmp=soc-cor-glbl-us-sprinklr-TWITTER--EMCStorage-183819018>

NO.7 In Unisphere for VMAX, what is the minimum Storage System role required to view Security Settings?

- A. SecurityAdmin
- B. StorageAdmin
- C. Monitor
- D. Auditor

Answer: D

NO.8 Which Solutions Enabler daemon is responsible for Gatekeeper management?

- A. storstopd
- B. storapid
- C. storgnsd
- D. storsrvd

Answer: B

Explanation:

Reference <https://www.emc.com/collateral/TechnicalDocument/docu78907.pdf> (p.145)

NO.9 At which level should the SLO be associated to have a device managed by FAST on a VMAX3?

- A. Data Pool
- B. Masking View
- C. Storage Group
- D. Device Group

Answer: B

NO.10 What is the default location of the SYMAPI options file on a Microsoft Windows host?

- A. \EMC\SYMCLI\config\
- B. \EMC\SYMAPI\bin\
- C. \EMC\SYMAPI\config\
- D. \EMC\SYMCLI\bin\

Answer: C